

800G Aggregator Switch with 3-Year Warranty



Overview

SSE-T8164 comes with a standard (3-1-1) warranty which covers 3 years of labor, 1 year of parts and 1 year of cross-shipment warranty. The warranty can be extended up to total 5 years. For more information, please visit the warranty page. The product has completed the End of Life (EOL) process effective on January 1, 2026. The Edgecore AGR100 router meets the high-performance, availability, and network-scaling requirements of cloud data centers and carrier access providers. The Cisco N9364E-SG2 switches are 64-port 800G fixed switches. Artificial-Intelligence and Machine-Learning (AI/ML) applications are being used increasingly in today's data centers, and Cisco N9000 Series Switches have the hardware and software capabilities to provide the right latency. The S9620-32E is a high-capacity 32 x 800G router purpose-built for next-generation IP transport networks. Leveraging the advanced Qumran3D platform, it delivers exceptional forwarding scale, power efficiency, and feature richness to address the rapidly evolving demands of carrier-grade backbone. Edgecore AIS800 is a high-performance 800G OSFP switch developed by Edgecore Networks and Celestica for advanced data center and AI network environments that require high bandwidth, precise timing, and scalable fabric performance. With 32 ports, it is well suited for spine, aggregation, and. Offering up to 51. for advanced data center networking.

Article Content

Cisco N9364E-SG2 Switches Data Sheet

Cisco N9364E-SG2 switches introduce high-density 800G aggregation for the data center fabric. They also offer various lower port speeds and densities, including 400, 200, and 100 Gbps. The Cisco

400G to 800G Upgrade: The Complete AI Data Center Guide

Lower OPEX through power efficiency compounds over the 3-5 year infrastructure lifecycle. At 20 mW per Gbps versus 35 mW for 400G — a 43% power efficiency improvement — a

Cisco Nexus 9000 N9364E-SG2 Ethernet Switch - LTT

Cisco Nexus 9364E-SG2 switches introduce high-density 800G aggregation for the data center fabric. They also offer various lower port speeds and densities,

Edgecore Networks AIS800-320 | 800G Cloud& Data

Edgecore AIS800-320 64 x 800G QSFP-DD800 800G Cloud & Data Center ONIE Switch, Broadcom Tomahawk 5, 3 Years Warranty, AI Switch; SONiC Switch

Supermicro SSE-T8164 800G Ethernet Switch

SSE-T8164 comes with a standard (3-1-1) warranty which covers 3 years of labor, 1 year of parts and 1 year of cross-shipment warranty. The warranty can be extended up to total 5 years. For more

Aggregation Network Switches | Grandstream Networks

These aggregation switches support advanced VLAN for flexible traffic segmentation, advanced QoS for prioritizing network traffic, IGMP/MLD Snooping for optimizing

7060X6 Series 800G Data Center Switches

The Arista 7060X6 switches comes with a one-year limited hardware warranty, which covers parts, repair, or replacement with a 10 business day turn-around after the unit is received.

AIS800-320

A next-generation, highest-capacity switch for data center spine use case. Breakout options include 2 x 400G, 4 x 200G, and 8 x 100G per port, with a maximum of

2024-010-AS9817-64O_Accton R03 20240703

800G DATA CENTER SWITCH AS9817-64O The Accton AS9817-64O is an 800G high-performance switch platform for modern data center applications. The switch provides line-rate L2

400G/800G Data Center Switches | High Speed Ethernet Switch for AI

While 400GbE remains widely deployed, next-gen 3.2TbE and co-packaged optics are already in development for future high-performance networks. Most enterprises still use 100G-400G switches,

FS 400G/800G Open Networking Switch for Scalable AI and Multi

FS 400G and 800G open networking switches, built on high-performance chip architectures with disaggregated hardware design, deliver breakthroughs in forwarding capacity,

2m (7ft) Arista CAB-D-D-800G-2M Compatible 800G

Buy 2m (7ft) Arista CAB-D-D-800G-2M Compatible 800G QSFP-DD DAC Cable for 800G switches & GPU links. Guaranteed compatibility, Save 80%, Fast Shipping,

800G Aggregation Router

800G Aggregation Router The AGR120 is a deep-packet buffer router for carrier access, aggregation, and data center applications. Powered by Broadcom StrataDNX® Qumran MX™ ASIC and an Intel

800G Data Center Switches

The S9321-64E OSFP is an 800G data center switch featuring 64 x 800GE ports, 51.2 Tbps capacity, and advanced traffic management, ideal for AI/ML workloads.

1m (3ft) Arista CAB-D-D-800G-1M Compatible 800G QSFP-DD DAC

Buy 1m (3ft) Arista CAB-D-D-800G-1M Compatible 800G QSFP-DD DAC Cable for 800G switches & GPU links. Guaranteed compatibility, Save 80%, Fast Shipping, 5-Year Warranty

Edgecore Networks AGR130 | Aggregation Router

The bundle also includes a comprehensive 1, 3, or 5-year hardware warranty and software support, providing peace of mind and assistance. Edgecore AGR130 is

3 Years PicOS® Standard Maintenance & Support for 800G Switch,

3 Years PicOS® Standard Maintenance & Support for 800G Switch, Includes Technical Support, Software Updates & Upgrades, Email and Phone Support (Per Device)

Supermicro SSE-T8164 800G Ethernet Switch

Supermicro SSE-T8164 800G Ethernet Switch Designed specifically to enhance data center networks, the SSE-T8164 offers 64 ports at 800 gigabits per second. These switches ensure accelerated

Grandstream GWN7830

The GWN7830 is a Layer 3 aggregation managed switch that allows enterprises to build scalable, secure, high-performance, and smart business networks that are fully manageable and support

S9620-32E 800G Open Aggregation Router

The S9620-32E rises to this challenge by providing a compact, power-optimized solution that supports 800G ports with flexible breakout options, enabling seamless scalability and efficient bandwidth

The Rise of 800G Ethernet: FS 800G AI Switches for

Introducing FS 800G AI Data Center Switches FS 800G Switch Product Informations FS offers two 800G data center switches—the N8650-320D

TP-Link TL-SG2008 V3 8 Port Gigabit Smart Managed

TP-Link TL-SG2008 V3 8 Port Gigabit Smart Managed Switch Omada SDN Integrated IPv6 Static Routing L2/L3/L4 QoS, IGMP & Link Aggregation 5 Year

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.sailingpoland.eu>

Email: info@sailingpoland.eu

Phone: +48 537 281 940

Address: ul. Puławska 12, 02-566 Warsaw, Poland

This document is for informational purposes only. Specifications subject to change without notice.

