

H3C Single-Mode Gigabit Optical Module Parameters



Overview

This H3C SFP-XG-LX-SM1310-D is a high performance and cost effective SFP+ transceiver module supporting data-rate of 10.953Gbps (10GBASE-LW) over single mode optical fiber. Common form factors for transceiver modules include QSFP-DD, QSFP56, QSFP28, CFP, CFP2, CXP, QSFP+, SFP28, SFP+, and SFP. Data rate is the number of bits transmitted per second. Moduletek Laboratory has tested samples of this product to help users better understand its performance specifications and actual on-site application behavior. The SFP+ transceiver module fully complies with SFP+ Multi-Source Agreement (MSA) standards. The H3C SFP GE SX MM850 A is a common Gigabit Ethernet SFP module designed for multimode fiber links operating at 850nm. It enables reliable 1Gbps optical connections between switches, servers, and other networking devices, making it suitable for switch-to-switch interconnects, access layer. This H3C® SFP-XG-LX-SM1310-E compatible SFP+ transceiver provides 10GBase-LR throughput up to 10km over single-mode fiber (SMF) using a wavelength of 1310nm via an LC connector.

Article Content

H3C SFP-XG-LX-SM1270-BIDI Optical Module Sample Report

H3C provides the SFP-XG-LX-SM1270-BIDI optical module, which supports 10G Ethernet transmission up to 10 km over single-mode fiber. Modutek Laboratory has tested samples of this product to help

Compatible with H3C optical module Gigabit single mode single

Product Description Fiber Optic Receivers Compatible with H3C optical module Gigabit single mode single fiber 1310/1550nm 3KM 20KM 40 80KM switch monitoring optical module single core SC pair

SFP Optical Module Gigabit Single-Mode Optical Module SFP--LX

SFP Optical Module Gigabit Single-Mode Optical Module SFP-LX-SM131020KM Dual Fiber 1.25G for H3C. Product Name: SFP Gigabit Optical Module. Product model: SFP-GE-LX-SM1310.

Huawei Technical Support

This document provides technical details about 1Gbps eSFP Optical Modules, including specifications and support information.

SFP-GE-LX-SM1310-BIDI H3C Gigabit 10km single

SFP-GE-LX-SM1310-BIDI H3C Gigabit 10km single-mode single-fiber single-core optical module No reviews yet Shenzhen Toptoday Network Co., Ltd. 10 yrs CN

H3C Single Mode Optical Transceiver Module SFP-XG-LX-SM1310

H3C 10GBASE-LR SFP+ Module, Single Mode (1310nm, 10km, LC) The AscentOptics 10GBASE SFP+ modules offer customers a wide variety of 10 Gigabit Ethernet connectivity options for data center,

H3C Transceiver Modules User Guide

Preface H3C Transceiver Modules User Guide describes the types, views, and specifications of transceiver modules and network cables available for H3C devices. ng topics bout the doc

Sfp-xg-lx-sm1310-e-c Datasheet

This H3C® SFP-XG-LX-SM1310-E compatible SFP+ transceiver provides 10GBase-LR throughput up to 10km over single-mode fiber (SMF) using a wavelength of 1310nm via an LC connector. It is

Genuine H3C Transceiver Modules

The H3C QSFP-40G-LR4-PSM1310 QSFP+ Optical Transceiver Module is designed for use in 40GBASE Ethernet throughput up to 10km over single mode fiber

Optical module common faults and solutions

Check the current measured value of the digital diagnostic parameters of the optical module inserted in the optical port through the command "show transceiver interfaces detail". If the

Original Hua three H3C Gigabit single-mode optical module 70 km

Original Hua three H3C Gigabit single-mode optical module 70 km SFP-GE-LH70-SM1550,Module,Electronic Components

H3C SFP-GE-LX-SM1310 1000BASE-LX SFP Transceiver Module

Check FS Singlemode SFP transceiver module compatible H3C SFP-GE-LX-SM1310 data sheet (1000BASE-LX SFP connector, LC connector, 1310nm, 10km) and price list!

SFP-XG-LX-SM1310-C | H3C | Transceivers | Prolabs

Our transceiver is built to meet or exceed OEM specifications and is guaranteed to be 100% compatible with H3C®. It has been programmed, uniquely serialized, and tested for data-traffic and application

Optical module common faults and solutions

The second step is to check whether the optical power of the optical module is normal. Check the current measured value of the digital diagnostic parameters of the optical module inserted

10G 10 Gigabit Single-Mode Dual-Fiber SFP Optical Fiber Module LC

10G 10 Gigabit Single-Mode Dual-Fiber SFP Optical Fiber Module LC Port 10KM Range for H3C for Huawei 1550nm SC MPO FTTH 5G DWDM

H3C SFP-XG-LX-SM1310 (A-D,-E) Optical module 10G

H3C SFP-XG-LX-SM1310 (A-D,-E) Optical module 10G 10G single-mode 1310nm LC interface On sale. Buy used and refurbished server parts at cmicomputer with

SFP Gigabit Single-Mode SM1310 Optical Module

SFP Gigabit Single-Mode SM1310 Optical Module with LC Interface offers 3Km, 5Km, 10Km, 20Km reach. Compatible with H3C, Huawei, Cisco. 1-year warranty.| Alibaba

H3C SFP-XG-LX-SM1310-E Datasheet

This H3C SFP-XG-LX-SM1310-D is a high performance and cost effective SFP+ transceiver module supporting data-rate of 10.3125Gbps (10GBASE-LR) or 9.953Gbps (10GBASE-LW) over single mode

H3C SFP GE SX MM850 A Compatible Replacement Guide

Learn about H3C SFP GE SX MM850 A specifications, applications, and compatible replacement modules for Gigabit fiber networks with reliable interoperability.

H3C Huawei Cisco SFP Optical Module SFP-GE-LX-SM1310 Optical

Gigabit dual-fiber SFP optical module Transmission 20 km dual LC interface? SFP-GE-SM1310 Strong compatibility High quality raw materials Produced with high quality raw materials, the quality is

Intellinet 10 Gigabit Fiber SFP + (LC) Single-Mode

10 Gigabit Fiber SFP + (LC) Single-Mode Optical Transceiver Module The new line of Intellinet Enhanced Small Form Factor Pluggable (SFP)

H3C QSFP-100G-ER4L-WDM1300 Datasheet

This easy to install, hot swappable transceiver has been programmed, uniquely serialized and data-traffic and application tested to ensure that it will initialize and perform identically. Digital optical

SFP Optical Module Gigabit Single-Mode Optical Module SFP-GE-LX

SFP Optical Module Gigabit Single-Mode Optical Module SFP-GE-LX-SM1310 20KM Dual Fiber 1.25G for Huawei H3C

SFP Transceiver Modul mit DOM

The H3C compatible SFP transceiver supports up to 120km link lengths over single-mode fiber (SMF). This transceiver is compliant with SFF-8431 and SFF-8432 MSA standards. Digital diagnostics

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.sailingpoland.eu>

Email: info@sailingpoland.eu

Phone: +48 537 281 940

Address: ul. Puławska 12, 02-566 Warsaw, Poland

This document is for informational purposes only. Specifications subject to change without notice.

