

Industrial Ethernet Low-Power Optical Module QSFP-DD



Overview

The QSFP-DD modules are our new generation of 400G transceiver modules based on a QSFP-DD form factor. Quad Small Form-factor Pluggable Double Density (QSFP-DD) solution that fits into high-density switch and router client ports for optical interconnect links Powered by Greylock and Delphi DSP ASICs, and silicon photonic integrated circuits (PICs) for an optimized co-packaged design with 3D. Cisco offers a comprehensive range of pluggable optical modules in the Cisco® pluggables portfolio. The wide variety of modules gives you flexible and cost-effective options for all types of interfaces. Cisco offers a range of GBIC, SFP, XFP, SFP+, CXP, CFP, Cisco CPAK, and QSFP+ pluggable modules. The FS® 400GBASE Quad Small Form-Factor Pluggable Double Density (QSFP-DD) portfolio offers customers a wide variety of super high-density transceiver modules and the flexibility of 400 Gigabit Ethernet connectivity options for data center, high- performance computing networks, enterprise core and. At the heart of this leap forward lies QSFP-DD (Quad Small Form Factor Pluggable Double Density) — an enhanced version of the proven QSFP form factor, designed to double the lane density and support data rates up to 400Gbps and beyond. These hot-pluggable transceivers provide high-density, high-performance connectivity. It is a parallel Quad Small Form-factor Pluggable—double density (QSFP-DD) Bi-Directional optical module. The module accepts eight host electrical data and transmits them in two groups of optical bi-directional lanes (each group contains 4 pairs of optical lane) to allow optical communication over.

Article Content

NVIDIA Optical Modules: QSFP-DD/OSFP 800G Solutions,

Explore NVIDIA's 800G optical modules with QSFP-DD and OSFP form factors. Learn about performance specifications, compatibility features, and application scenarios for AI clusters

Comprehensive Guide to QSFP – MapYourTech

QSFP-DD doubles the electrical interface to 8 lanes while maintaining backward compatibility with QSFP28 modules (using 4 of the 8 lanes). This

Huawei QSFP-DD-400G-SR4 400G Optical Transceiver Module

The Huawei QSFP-DD-400G-SR4 is a high-performance, hot-pluggable optical transceiver designed for 400 Gigabit Ethernet links over multi-mode fiber (MMF). Utilizing the QSFP-DD (Quad Small Form

400G QSFP-DD Cable and Transceiver Modules Data Sheet | FS

It provides a QSFP-DD-to-QSFP-DD copper direct-attach solution. They are suitable for very short links and offer a cost-effective way to establish a 400-Gigabit link between QSFP-400G ports of

Cisco 400G Digital Coherent Optics QSFP-DD Optical Modules

Thanks to the miniaturization of the technology with a 7-nm manufacturing procedure and innovation in silicon photonic technology, it is now possible to squeeze a 400G-capable Digital Coherent WDM

QSFP-DD Connector System

QSFP-DD Interconnect System enables faceplate density equal to the current 2x1 QSFP form factor, but with 8-lane ports. In other words, a total of 256 differential

Advanced Connectivity: The Evolution of 800G QSFP-DD DR8 MPO ...

Discover the details of Advanced Connectivity: The Evolution of 800G QSFP-DD DR8 MPO Transceiver Modules in AI Data Centers at LonRise Equipment Co. Ltd., a leading supplier in China

Optical Transceivers | Coherent

Get the pluggable module performance you need from the manufacturer of choice for all major networking equipment vendors worldwide.

QSFP-DD-400G-SR4.2 Datasheet | FluxLight

It has been designed to meet the harshest external operating conditions including temperature, humidity and EMI interference. The module offers very high functionality and feature integration, accessible

QSFP-DD-400G-SR4 Optical Transceiver 1. Summary

Discover the details of QSFP-DD-400G-SR4 Optical Transceiver 1. Summary at LonRise Equipment Co. Ltd., a leading supplier in China for Optical Transceiver Module and SFP Optical

Understanding the OSFP Standard: The Open 400G/800G Optical

Unlike the backward-compatible QSFP-DD, OSFP introduces a slightly larger mechanical form to accommodate higher power dissipation (up to 15–20W) and supports native 8× lanes for

OEM 100G QSFP28 & 200G QSFP56, QSFP-DD, CFP2

WolonFiber manufactures strictly MSA-compliant 100G QSFP28 and 200G QSFP56, QSFP-DD, and heavy-duty CFP2 optical interconnects optimized for ultra-dense Spine-Leaf topologies and long-haul

QSFP Optical Module Planning for the Future: Key Trends 2026-2034

Explore the dynamic QSFP optical module market, forecast to reach \$14.7 billion by 2025 with a 4.5% CAGR. Discover key drivers, trends, and applications in high-speed networking and data

Optical Modules Market Research Report 2034

The QSFP (Quad Small Form-factor Pluggable) form factor family, encompassing QSFP+, QSFP28, QSFP56, and QSFP-DD variants, was the dominant form

Understanding the QSFP-DD Standard: The Foundation of 400G

QSFP-DD (Quad Small Form Factor Pluggable Double Density) is an evolution of the QSFP family, extending its lane capacity from 4 to 8 high-speed electrical lanes. Each lane supports

The Definitive Guide to 800G OSFP/QSFP-DD AOC Cables for

In the rapidly evolving landscape of hyperscale computing, the 800G OSFP/QSFP-DD AOC Cable stands as a pivotal innovation for seamless data center interconnectivity. This

Wireless Professional Solutions | Shop Online Ethernet,

Mikrotik DDQ+85MP01D QSFP-DD optical module for reliable 400G fiber connections within ultra-fast setups, like the CRS812. Key Features: QSFP-DD

QSFP-DD Connectors, Cages and Cable Assemblies

QSFP-DD provides high-performance computing capability. The QSFP interconnects density is doubled with electrical interface, providing superior thermal and signal

Optical Transceiver Market Size, Share, Industry Report

Optical Transceiver Market Size & Share 2026-2035 Market Size By Form Factor (SFP family, QSFP family, OSFP, CFP family, XFP, CXP), By Data Rate (Less

Cisco 400G QSFP-DD Ultra Long Haul Coherent Optics

The high performance and low power of the 400G QSFP-DD ULH module make it an optimal choice to extend Routed Optical Networking use

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.sailingpoland.eu>

Email: info@sailingpoland.eu

Phone: +48 537 281 940

Address: ul. Puławska 12, 02-566 Warsaw, Poland

This document is for informational purposes only. Specifications subject to change without notice.

